

10/780, 128  
Amendment 7/31/06

## PROCEDURE FOR ASTHMATIC AND OTHER BODY TUMOR CURES WITHOUT INVASIVE SURGERY OR RADIOACTIVE SUBSTANCES

I have effected the cure of my asthma that I was born with which I extrapolated was tumor related. I will explain my esoteric thinking of my procedure further on as best I can. This asthmatic condition that I was born with came to an end at approximately 55 years of age, and was done by utilizing an holistic pure Columbia cocain powder into a free base solid state. The timing and knowledge of its use is medically crucial. The size of this free base material used in weight for a tumor cure was 1/100 of a gram that was performed approximately 18 years ago on myself using a centigram scale for weighing pure 84% free based Columbia powder cocaine. To procure this freebase material I put 84% pure Columbian powder cocain into (any amount) what was call a cooking glass (clear bottle) measuring one and one quarter inch in diameter and 2 inches in length with a plastic screw on top. Pure 84% Columbia beige power cocain (Bolivian white rock cocain (88%) or Peruvian pink flakes cocain (94%) may also be use that is stronger but I don't know of its exact results as I do with 84% Columbia powder, for I only used 84% Columbian cocain, purer cocain may not need 1/ 100 of a gram but less) was put into this cooking glass with one half the cocain's volume by sight of baking soda and approximately 1/4 inch of cold tap water over the top level of this dry substance. This never needed precise measurements of baking soda or water as it always worked, what is crucial is the amount used in a freebase form for a human cure, and its procedure. This bottle of

mixture was held at a 60 degree angle facing me over a low flame Bunsen burner approximately 2 inches away from the bottom edge of the glass holding the glass by the cap that is slightly loose for release of internal pressure build up, as I turned the bottle one quarter turn clockwise then one quarter turn counter clockwise a total of 180 degrees several times over this low flame as the mixture starts to sizzle. After approximately 30 seconds of this sizzling turn the bottle to the opposite side at the same 60 degree angle and continue the quarter turns. This is to be done several times until the mixture stops sizzling then take the bottle away from the low flame and turn it into a complete gentle 360 degree circular motion several times until the freebase rock forms and falls out of its solution if not a pinch more of baking soda was used, sometimes a drop more of water(I never had to do either of these moves more than two times) starting again with the same hand movements as above for the freebase rock to drop which takes experience to do. At this point run the bottle with its contents under cold tap water until cool and pour the contents onto a paper filter (coffee filter) with paper towels under it to dry the contents. Ether can be used instead of baking soda but I have never used it, also ammonia( that I have used) which requires no heat or water for a complete chemical change (that I have done) but all need hand movements as describe above for this freebase solid to come about. A round clear glass tube 1/4 inch inside diameter and 4 inches long is also needed with 4 flat round steel mesh screens (very thin screens that can be gotten in some stores for the purpose intended that are 3/4 to 1 inch in diameter) twisted together tightly into a round oblong shape and packed into this glass tube 1/4 inch from its top with 1/00 of a

gram freebase piece on top of these screens that is to be flame heated directly with the lowest possible flame; producing vapors that air is drawn through at that moment from the bottom of this tube through the vapors bringing the air/cocain mix down this tube, in producing an ideal mix when the speed of incoming air at the glass top and total volume intake is equal to the patient's known facts (explained below) concerning this and must be known before time as this drawing of air is to be done with a machine. This freebased piece can be used at least twice when flame heated. When the flame is taken away from this freebase substance it always stops evaporating instantly and a second flame applied to it causes a second evaporation so that 1/200 of the freebase solid was used initially when only two tries were possible, a tiny amount indeed but potent. The above steps and items used are complete as to the way I performed them and what was used for a come back and use of this freebase material of 84 % Columbia cocain that was done by me. The first step for the patient is no intake of food for at least 8 hours before starting anything unless the physician request is for more time. The second step while awake is to check their blood for a normal metabolic rate. The third step is to determine their deep full lung capacity in one breath. The fourth step is to sedate the patient for as many hours as is needed for inhaling predetermined air/cocain mixture as stated above but one time only at first to determine the metabolic rate of this substance to this patient. This time frame is to be used through out the procedure for this patient in the taking of this air/cocain mixture that is tailor made for this person so as not to over do or under do its use to any one. A surgical mask can be used when applying air/cocain mixture to the patient as is done

when using anesthesia to operate on one, an anesthesia like tank can instead be stored with air/cocain mixture for hours or days of use as it can be use by all patients ,how ever its application is different for each patient, also I would think this storage or air/cocain mixture may not be as ideal next to flame heating this freebase piece on an individual basis at the time needed with an inhaling machine giving an ideal ratio of mix for this patient due to the configuration of its body that is unique to one self in applying its internal coordinated moves at the precise time of this vapors use. A deflated inflated machine also is needed for the working of the patient's diaphragm for a completed full deep intake of this mixture one time only per setting for that patient's timing figures as they can not perform this depth of breathing on their own while sedated. ( for me it was one full intake of deep breathing this free base mix per 1/2 hour while awake that eventually caused me problems I was not aware of at the time). The volume mixture of air and chemically changed cocain vapor should always be used up (which should be two to four liters I believe of such air mixture) to equal that persons deep intake volume of air. This claimed tumor cure of mine took me 16 hours or 32 sessions of one half hour apiece of deep inhaling this free base chemical changed cocain one after another non stop after the end of each of the one half hours, as its exact metabolic rate for me came to an end at this point like clock work each and every time. This might have been over done by me, as I stopped at 16 hours due to fatigue. But this was done for a completely different reason in trying to find out information about a different subject, and I did not realized what I did to myself until soon after in my not getting any more asthma attacks after this experiment,

attacks that were horrible to endure literally fighting for my life for air on every attack sometimes not knowing if I would survive. The fifth step is to continue this procedure until the scanning of the brain shows a decreasing electrical output in any sector of the brain as this procedure is continuing, when this brain current stops at any brain location the tumor was there, and is now dead, but this will take many hours to accomplish. Such tumors can also be located by tagging this freebase cocaine with radioactive isotopes as the tumor's absorption rate should be high being abnormal cells. The sixth step is to stop everything and at this point, and leave the patient to rest for as long as is needed, to wake up on their own as the brain adjusts itself.. The original cocaine  $C_{17}H_{21}NO_4$  is used in snorting, but when free based it becomes a different formula that I can not recall. Whether ammonia (not heated), baking soda (heated-I used baking soda) or ether is used(heated) the results are the same in producing a solid freebased mass as explained above, that is free of its alkaloid base and is instantly absorbed in the blood when inhaled. This then breaches the brain barrier in seconds to where the tumor or tumors are located as there is no intervention by the immune system on freebase cocaine due to its small molecular size that goes un-notice to our immune system for its attack on this foreign substance there by allowing a cumulative chemical build up in such tumors that has a deadly affect on them. The amount of alkaloid base is approximately 1/11 of the original cocaine in weight before freebasing and goes into a solution with what you are freebasing it with so that the freebase cocaine is 1/11 lighter than what you started with regardless of the amount of cocaine used, and can at this point be inhaled and becomes useless in snorting it. It

should be noted that cocaine is a very corrosive substance to flesh due to its alkaloid content that produces lesions and bleeding in one's nostrils when snorting it, but when free based this alkaloid substance is eliminated and the chemical composition of cocaine has changed and can only be inhaled or injected when liquefied with heat just before the state of vaporizing it. An asthmatic attack is caused by a brain tumor in its release of an electrical charge which is erratic at its best as it has no normal order in behavior when something sets it off that can be caused by its internal action alone or set off with outside stimuli that gets into the blood stream setting this tumor off directly or indirectly. When this happens the tumor's erratic genetic wiring produces electrical charges that upsets glands it has access to, one in particular whose name and its secretion I do not recall that was mentioned in the discovery magazine many years ago when this very minute secretion was then discovered, (due to updated equipment that was then developed, about 18 years ago) in the blood of people that had asthmatic attacks no one knew why this merocrine gland was doing this, and why it was in the blood of asthmatic people only, it was just raw findings. This secretion was found to be extremely minute and powerful that has gone undetected for so long that causes the bronchial tubes to constrict in bring about breathing problems. Such bronchial tubes recovered as the body finally neutralize this substance when this tumor stop sending its signals to this gland that caused this affliction in the first place, and this person started to breathe better. I had my own good reasons to believe it was a tumor ( as explain later) causing this problem all along in producing an unwanted electrical current to this gland that would cause it to discharge its brew in a

sufficient amount causing an attack as minute as it was. If a medical scientist had known the underlying reason for such an attack in the past what could they have done? Besides once an attack occurred it was too late to do anything to prevent it. I thought if the electric charge was very strong at times or of long duration or both it would release an unusual amount of the substance mentioned above and become too much for a person's body to overcome in a safe time, and eventually caused death by asphyxiation. (It has been estimated by health officials, that approximately 5,000 deaths occur each year in the United States that were asthmatic related). This tumor I believe has to be connected to the breathing apparatus in complicating things. So that the reason for the following logic is that tumors that are elsewhere must cause different problems for the body, depending on what network they are hooked up to, and is explained below. The only safe way to kill such tumors malignant or not is by my procedure, and does not need invasive surgery or radioactive substance in doing away with such tumors assuming they are accessible to begin with. Tumors that cause asthmatic attacks or any tumors I believe are brought about by defective genes in creating these tumors. Any abnormal cells in the brain that causes a brain problem is considered a tumor to me and may or may not be called tumors by the medical profession. This holds true for me for tumors in any part of the body. Pharmaceutical cocaine which is man made is harsh and very strong at 100% pure due to its lack of natural cocaine derivatives. This may or may not work in killing such tumors when free based, and heated if not, then the derivatives of natural cocaine play an important role in a free base state in effecting a cure for such tumors. The reason cocaine is the

only substance to do the job that I know of is a simple one, it is the only substance that can breach the brain barrier where these tumors are located with out an immune attack on it due to its small molecular size that escapes the immune system and effectively reaches and kills these tumors by self destruct. When tumors absorb this new substance of the finished chemical cocain it disrupts it's unusual cell chemistry in its greedy need or use of it as quickly as possible, with no normal restrains its intake is over done of this cocain poison to it. Due to the fact a tumor takes most of this new substance normal cells receive very little if any as their chemical composition is different and more stable causing no harm to such normal cells in the time it takes to kill such tumors. To cure tumors by nasal intake, if it can be done with non free base cocain I believe would destroyed your mucous membrane first, and intravenous of such non freebase cocain I would think is much to risky. Young abandon children using cocain of every form excessively in Peru became deform as the brain did not developed right in such a use and could not perform its functions in making healthy organs. Using cocain excessively or not by anyone, especially such young developing bodies is extremely dangerous in its long time use. This became a very big problem In the country of Peru (approximately 18 years ago) so that operations were perform on many abandon children that were simple brain procedures, and were successful on such children in getting rid of their cocain desire. This success lasted only 6 months as the brain part that was worked on came back and the cocain lust returned. (This is to show how the brain and cocain interactive over a period of many months or years). This experiment in Peru was eventually pronounced a failure. In my



procedure it's important that the patient be in a sleeping state so that he or she does not feel anything of this new feeling as it should not be allowed to be dwelled on. On this sleeping patient a brain scan must monitor the brain to check after hours of treatment, for the electrical output of its parts an EEG (electroencephalograph) can be used along with a CT or MRI for internal brain pictures, before and after. This tumor part of the brain may not be at all detected at first as a tumor unless an unusual electrical output is seen meaning the patient is having an attack, which is not likely to occur while looking. When an electrical output is seen diminishing in a location as the procedure is proceeding (assuming there is a tumor) then this location is where the tumor is at. Continue the treatment until there is no activity left in this sector and this tumor is dead and will not give the patient any more problems in there life time. Nor can it turn worst and cause bigger problems as time goes on which some times is the case. Vital signs must be watched for continuously while performing this procedure, however nothing is likely to happen even in an uncontrolled environment due to the very tiny substance used per session that lasts for approximately one half hour with no need to give more (or if awake no desire to take more) This brain procedure is coined by me as a brain sweep which I suspect had other unusual good end results for me over the years (that I only postulate so I will not mention it) I might add that a brain scan can be done on me to locate this small dead area, where I believe my asthmatic tumor lies dead with no electrical activity there unless it dissolves if that does happen to such dead tumors Tumors located in other parts of the brain will cause other abnormalities such as epilepsy with involuntary muscle

movements, and so on to other tumors located else causing their own unique problems depending on what net work they are connected to when an unwanted electric discharge comes about which many times is unpredictable as to when it occurs. At times it may be a fairly constant current giving that person continuous unwanted movements all having different medical names for each happening that are caused I believe by tumors. My belief is that most tumors come about from genetic defects that are inherited as do asthmatic ones, and can certainly developed other ways at times (it had to start somewhere especially in some one else in passing these defective genes on) one way is from an auto accident causing injury to the head or the taking into one's body questionable environmental chemicals for long periods of time.. The important thing then is to cure these tumors by self destruct that was discovered by me quite by accident and to finally have put every thing together in my thinking on the subject due to enough layman's knowledge at my disposal. There is a possibility a raw cocaine solution can be put on a cancerous body spot and it might die with out using surgery or radiation with its bad side affects if it is accessible. To be sure a wide internal cancerous spread seems hopeless for the time being in curing. However my logic is if the main ingredients in cocain that are responsible in killing brain tumors could be isolated then this can lead to killing metastatic cancerous cells before doing damage to healthy organs, with no mutated changes to such cells as they are stopped cold by self destruct. This to me narrows the time factor in killing such wayward cells as they are especially sensitive to this freebase cocain's ingredients. A cocain use here may be different from my brain tumor cure as it could require

isolating these final changed chemicals in the evaporation of this free base substance into the developing of pills or intravenous of such ingredients with its own time, amount, and duration factors in performing this procedure for a cure. There is a strong possibility that some of cocaine's main chemicals that bring about an euphoria feeling do not aid in a tumor cure and can be eliminated there by allowing the patient to stay awake as the procedure is performed. The problem with a cancer cure lies in not knowing what drugs to work with on such tumors and then the constant mutation of such cells when using new man made drugs that at times just slowed down such tumors only for them to mutate and continue on as if nothing happened. The only answer seems to be in killing them quickly with mother nature's wonder drug in a systematic way. Developing magic bullets from this changed substance could be elusive at first after all you are dealing with non free base cocaine and free base cocaine which not only has many different derivatives but they can combine and change chemically in various complicated ways for a cure. In free basing, major chemical changes were made especially in the final evaporations process. Such new main chemicals must be identified in the chemical vapors ( to my knowledge this has never been done) of this free based substance to be made into pill form or injected in a procedure that correlates the above for brain tumors. Rest to sure the cure is in cocaine one way or another for tumors. Mother nature is best in knowing how to make drugs for cures so much so that Marijuana is legal to use for patients in treating an eye disease called glaucoma (pressure build up in the eye causing retina damage) by doctors so that the patient does not go blind, might not the same be done with my

procedure in saving 5,000 lives a year in the United States alone from asthmatic attacks that do kill people not to mention various other tumors that inflicted great sufferings to millions and often times death to such people. A long standing medical fact is that healthy brain cells will die with no replacements possible when free basing cocaine is done over a long period of time. This is without a doubt a drug that attacks brain cells as a primary target. The cures I am claiming are classic examples of the obvious many times being overlooked, thinking a complicated disease always needs a complicated approach leading many researchers to go astray with so much time and money wasted. What was gained was not worth what was used to obtain it as terrific as the gains are. My father at age 62 had a brain tumor that was operated on when I was 16 years old and died 2 years later no doubt due to this operation's meddling on other brain sectors. I felt like father like son I had a genetic defect or a tumor in my brain. How else can I explain the demise of my asthmatic attacks that I was born with and had for 55 years that were horrible to endure that came to an end immediately after using a freebase drug with the completion of my procedure, and was fortunate enough to stumble on a cure which I believe only affects the brain both directly and indirectly and that asthma has to be tumor related. The cure had to be immediately after this experiment since not one attack has occurred from that date to my present age of 73 going on 40. I felt I might have been due for a brain operation at 62 like my father if this tumor had survived. Some people outgrow their asthma, most do not and it is a way of life. To be sure I would not literally spend countless hours on my computer and money that I managed to acquire from time to time to accomplish this

task at hand if I myself were not impressed with the results that I feel I have attained. I always kept in mind what Mrs. Mahatma Gandhi former prime minister of India who was assassinated once said quote "first they ignore you, then they laugh at you, then they believe you" unquote amen. P.S. I desperately need a government grant with the expert help of many professional people that are so much more capable than myself to research and document my findings as I feel this sought after patent is not all about myself but about all of us. I am so very tired of being ignored, and in not having enough money to do what I must!